

# マグネステン金網在庫表

2024/5/17

| 在庫 | 線径 $\phi$ mm | メッシュ | 幅 mm | 目開きmm | 開孔率% |
|----|--------------|------|------|-------|------|
| ○  | 1.50         | 2    | 1000 | 11.2  | 77.8 |
| ○  | 1.00         | 3    | 1000 | 7.47  | 77.8 |
| ○  | 1.00         |      | 1250 | 7.47  | 77.8 |
| ○  | 1.00         | 3.5  | 1000 | 6.26  | 74.3 |
| ○  | 1.20         |      | 1000 | 6.06  | 69.7 |
| ○  | 0.90         | 4    | 1000 | 5.45  | 73.7 |
| ○  | 0.90         |      | 1250 | 5.45  | 73.7 |
| ○  | 1.00         |      | 850  | 5.35  | 71.0 |
| ○  | 1.00         |      | 1250 | 5.35  | 71.0 |
| ○  | 1.20         |      | 1000 | 5.15  | 65.8 |
| ○  | 1.10         | 4.5  | 1000 | 4.54  | 64.8 |
| ○  | 0.80         | 5    | 1000 | 4.28  | 71.0 |
| ○  | 1.00         |      | 1000 | 4.08  | 64.5 |
| ○  | 1.00         |      | 1250 | 4.08  | 64.5 |
| ○  | 1.10         |      | 1000 | 3.98  | 61.4 |
| ○  | 0.90         | 5.5  | 1000 | 3.72  | 64.7 |
| ○  | 0.70         | 6    | 1000 | 3.53  | 69.5 |
| ○  | 0.80         |      | 1000 | 3.43  | 65.6 |
| ○  | 0.80         |      | 1250 | 3.43  | 65.6 |
| ○  | 0.90         |      | 1000 | 3.33  | 61.9 |
| ○  | 1.00         |      | 1000 | 3.23  | 58.2 |
| ○  | 1.20         |      | 1000 | 3.03  | 51.2 |
| ○  | 0.80         | 6.5  | 1000 | 3.11  | 63.3 |
| ○  | 0.90         |      | 1000 | 3.01  | 59.3 |
| ○  | 0.70         | 7    | 1250 | 2.93  | 65.2 |
| ○  | 0.80         |      | 1000 | 2.83  | 60.8 |
| ○  | 1.00         |      | 1000 | 2.63  | 52.5 |
| ○  | 1.00         | 7.5  | 1000 | 2.39  | 49.8 |
| ○  | 0.50         | 8    | 1000 | 2.68  | 49.8 |
| ○  | 0.50         |      | 1550 | 2.68  | 71.2 |
| ○  | 0.53         |      | 1000 | 2.65  | 69.4 |
| ○  | 0.57         |      | 1000 | 2.61  | 67.4 |
| ○  | 0.60         |      | 760  | 2.58  | 66.0 |
| ○  | 0.60         |      | 850  | 2.58  | 66.0 |
| ○  | 0.65         |      | 1000 | 2.53  | 63.3 |
| ○  | 0.70         |      | 1000 | 2.48  | 61.0 |
| ○  | 0.70         |      | 1250 | 2.48  | 61.0 |
| ○  | 0.70         |      | 1550 | 2.48  | 61.0 |
| ○  | 0.80         |      | 1000 | 2.38  | 56.2 |
| ○  | 0.90         |      | 1000 | 2.28  | 51.6 |
| ○  | 1.00         |      | 1000 | 2.18  | 47.1 |
| ○  | 1.20         |      | 1000 | 1.98  | 38.9 |

# マグネステン金網在庫表

2024/5/17

| 在庫 | 線径 $\phi$ mm | メッシュ | 幅 mm | 目開きmm | 開孔率% |
|----|--------------|------|------|-------|------|
| ○  | 0.80         | 9    | 1250 | 2.02  | 51.2 |
| ○  | 0.80         |      | 1550 | 2.02  | 51.2 |
| ○  | 0.90         |      | 1250 | 1.92  | 46.3 |
| ○  | 0.90         |      | 1600 | 1.92  | 46.3 |
| ○  | 0.40         | 10   | 1000 | 2.14  | 71.0 |
| ○  | 0.50         |      | 1000 | 2.04  | 64.5 |
| ○  | 0.50         |      | 1250 | 2.04  | 64.5 |
| ○  | 0.50         |      | 1550 | 2.04  | 64.5 |
| ○  | 0.57         |      | 1000 | 1.97  | 60.2 |
| ○  | 0.60         |      | 1000 | 1.94  | 58.3 |
| ○  | 0.60         |      | 1250 | 1.94  | 58.3 |
| ○  | 0.70         |      | 1000 | 1.84  | 52.5 |
| ○  | 0.70         |      | 1550 | 1.84  | 52.5 |
| ○  | 0.80         |      | 1000 | 1.74  | 46.9 |
| ○  | 0.80         |      | 1250 | 1.74  | 46.9 |
| ○  | 1.00         |      | 1000 | 1.54  | 36.8 |
| ○  | 0.75         | 10.5 | 1000 | 1.67  | 47.6 |
| ○  | 0.40         | 12   | 1000 | 1.72  | 66.0 |
| ○  | 0.45         |      | 1000 | 1.67  | 62.2 |
| ○  | 0.47         |      | 1000 | 1.65  | 60.6 |
| ○  | 0.47         |      | 1250 | 1.65  | 60.6 |
| ○  | 0.50         |      | 1000 | 1.62  | 58.6 |
| ○  | 0.50         |      | 1250 | 1.62  | 58.6 |
| ○  | 0.55         |      | 1050 | 1.57  | 55.5 |
| ○  | 0.55         |      | 1800 | 1.57  | 55.5 |
| ○  | 0.60         |      | 1000 | 1.52  | 51.6 |
| ○  | 0.70         |      | 1250 | 1.42  | 44.9 |
| ○  | 0.70         |      | 1550 | 1.42  | 44.9 |
| ○  | 0.40         | 14   | 1000 | 1.41  | 60.4 |
| ○  | 0.40         |      | 1250 | 1.41  | 60.4 |
| ○  | 0.45         |      | 1250 | 1.36  | 56.2 |
| ○  | 0.50         |      | 1000 | 1.31  | 52.1 |
| ○  | 0.55         |      | 1000 | 1.26  | 48.2 |
| ○  | 0.60         |      | 1000 | 1.21  | 44.5 |
| ○  | 0.60         |      | 1250 | 1.21  | 44.5 |
| ○  | 0.63         |      | 1530 | 1.18  | 42.3 |

# マグネステン金網在庫表

2024/5/17

| 在庫 | 線径 $\phi$ mm | メッシュ | 幅 mm | 目開きmm     | 開孔率% |
|----|--------------|------|------|-----------|------|
| ○  | 0.40         | 16   | 1000 | 1.19      | 56.2 |
| ○  | 0.40         |      | 1550 | 1.19      | 56.2 |
| ○  | 0.45         |      | 1000 | 1.14      | 51.6 |
| ○  | 0.45         |      | 1250 | 1.14      | 51.6 |
| ○  | 0.50         |      | 1000 | 1.09      | 47.1 |
| ○  | 0.50         |      | 1550 | 1.09      | 47.1 |
| ○  | 0.55         |      | 1000 | 1.04      | 42.9 |
| ○  | 0.60         |      | 1000 | 0.988     | 39.5 |
| ○  | 0.60         |      | 1250 | 0.988     | 39.5 |
| ○  | 0.60         |      | 1550 | 0.988     | 39.5 |
| ○  | 0.63         |      | 1550 | 0.958     | 36.4 |
| ○  | 0.70         |      | 1250 | 0.888     | 31.3 |
| ○  | 0.30         | 18   | 1000 | 1.11      | 61.9 |
| ○  | 0.35         |      | 1000 | 1.06      | 56.4 |
| ○  | 0.35         |      | 1250 | 1.06      | 56.4 |
| ○  | 0.4/0.38     |      | 1000 | 1.01/1.03 | 52.3 |
| ○  | 0.40         |      | 1000 | 1.01      | 51.2 |
| ○  | 0.40         |      | 1250 | 1.01      | 51.2 |
| ○  | 0.43         |      | 1000 | 0.981     | 48.4 |
| ○  | 0.50         |      | 1000 | 0.911     | 41.6 |
| ○  | 0.55         |      | 1550 | 0.861     | 37.1 |
| ○  | 0.57         |      | 1550 | 0.841     | 35.6 |
| ○  | 0.25         | 20   | 1000 | 1.02      | 64.5 |
| ○  | 0.25         |      | 1250 | 1.02      | 64.5 |
| ○  | 0.25         |      | 1595 | 1.02      | 64.5 |
| ○  | 0.27         |      | 1250 | 1.00      | 62.0 |
| ○  | 0.30         |      | 1000 | 0.970     | 58.3 |
| ○  | 0.33         |      | 1000 | 0.940     | 54.8 |
| ○  | 0.35         |      | 1050 | 0.920     | 52.5 |
| ○  | 0.35         |      | 1250 | 0.920     | 52.5 |
| ○  | 0.35         |      | 1550 | 0.920     | 52.5 |
| ○  | 0.38         |      | 1250 | 0.890     | 49.1 |
| ○  | 0.40         |      | 1000 | 0.870     | 46.9 |
| ○  | 0.40         |      | 1550 | 0.870     | 46.9 |
| ○  | 0.43         |      | 1030 | 0.840     | 43.7 |
| ○  | 0.43         |      | 1550 | 0.840     | 43.7 |
| ○  | 0.45         |      | 1000 | 0.820     | 41.7 |
| ○  | 0.45         |      | 1250 | 0.820     | 41.7 |
| ○  | 0.50         |      | 1550 | 0.770     | 36.8 |
| ○  | 0.45         | 22   | 1250 | 0.705     | 37.3 |

# マグネステン金網在庫表

2024/5/17

| 在庫 | 線径 $\phi$ mm | メッシュ | 幅 mm | 目開きmm | 開孔率% |
|----|--------------|------|------|-------|------|
| ○  | 0.21         | 24   | 1000 | 0.848 | 64.2 |
| ○  | 0.21         |      | 1250 | 0.848 | 64.2 |
| ○  | 0.25         |      | 1000 | 0.808 | 58.3 |
| ○  | 0.27         |      | 1550 | 0.788 | 55.4 |
| ○  | 0.30         |      | 1000 | 0.758 | 51.3 |
| ○  | 0.30         |      | 1250 | 0.758 | 51.3 |
| ○  | 0.30         |      | 1550 | 0.758 | 51.3 |
| ○  | 0.33         |      | 1250 | 0.728 | 47.3 |
| ○  | 0.35         |      | 1000 | 0.708 | 44.8 |
| ○  | 0.35         |      | 1250 | 0.708 | 44.8 |
| ○  | 0.35         |      | 1550 | 0.708 | 44.8 |
| ○  | 0.40         |      | 1250 | 0.658 | 38.7 |
| ○  | 0.40         |      | 1550 | 0.658 | 38.7 |
| ○  | 0.30         | 25   | 1000 | 0.716 | 49.7 |
| ○  | 0.35         |      | 1000 | 0.627 | 41.2 |
| ○  | 0.35         |      | 1250 | 0.627 | 41.2 |
| ○  | 0.40         |      | 1000 | 0.577 | 34.9 |
| ○  | 0.40         |      | 1550 | 0.577 | 34.9 |
| ○  | 0.30         | 28   | 1550 | 0.607 | 44.8 |
| ○  | 0.32         |      | 1000 | 0.587 | 41.9 |
| ○  | 0.32         |      | 1250 | 0.587 | 41.9 |
| ○  | 0.32         |      | 1550 | 0.587 | 41.9 |
| ○  | 0.19         | 30   | 1000 | 0.657 | 60.2 |
| ○  | 0.22         |      | 1000 | 0.627 | 54.7 |
| ○  | 0.22         |      | 1595 | 0.627 | 54.7 |
| ○  | 0.23         |      | 1250 | 0.617 | 53.1 |
| ○  | 0.25         |      | 1000 | 0.597 | 49.7 |
| ○  | 0.25         |      | 1250 | 0.597 | 49.7 |
| ○  | 0.27         |      | 1000 | 0.577 | 46.4 |
| ○  | 0.30         |      | 1000 | 0.547 | 41.7 |
| ○  | 0.30         |      | 1250 | 0.547 | 41.7 |
| ○  | 0.32         |      | 1000 | 0.527 | 38.7 |
| ○  | 0.35         |      | 1000 | 0.497 | 34.4 |
| ○  | 0.35         |      | 1250 | 0.497 | 34.4 |
| ○  | 0.35         |      | 1520 | 0.497 | 34.4 |
| ○  | 0.25         | 32   | 1000 | 0.544 | 46.9 |
| ○  | 0.27         |      | 1550 | 0.524 | 43.6 |
| ○  | 0.29         |      | 1000 | 0.504 | 40.3 |
| ○  | 0.29         |      | 1250 | 0.504 | 40.3 |
| ○  | 0.23         | 35   | 1000 | 0.496 | 46.7 |
| ○  | 0.25         |      | 1250 | 0.476 | 43.1 |
| ○  | 0.254        |      | 1250 | 0.472 | 42.3 |
| ○  | 0.27         |      | 1000 | 0.456 | 39.5 |
| ○  | 0.30         |      | 1000 | 0.426 | 34.4 |
| ○  | 0.30         |      | 1250 | 0.426 | 34.4 |
| ○  | 0.32         |      | 1550 | 0.406 | 31.3 |

# マグネステン金網在庫表

2024/5/17

| 在庫 | 線径 $\phi$ mm | メッシュ | 幅 mm | 目開きmm | 開孔率% |
|----|--------------|------|------|-------|------|
| ○  | 0.21         | 36   | 1000 | 0.496 | 49.4 |
| ○  | 0.23         |      | 1000 | 0.476 | 45.5 |
| ○  | 0.12         | 40   | 1000 | 0.515 | 65.8 |
| ○  | 0.15         |      | 1000 | 0.485 | 58.3 |
| ○  | 0.15         |      | 1550 | 0.485 | 58.3 |
| ○  | 0.18         |      | 1000 | 0.455 | 51.3 |
| ○  | 0.18         |      | 1250 | 0.455 | 51.3 |
| ○  | 0.19         |      | 1000 | 0.445 | 49.1 |
| ○  | 0.19         |      | 1250 | 0.445 | 49.1 |
| ○  | 0.21         |      | 1000 | 0.425 | 44.8 |
| ○  | 0.21         |      | 1250 | 0.425 | 44.8 |
| ○  | 0.23         |      | 1020 | 0.405 | 40.7 |
| ○  | 0.25         |      | 1000 | 0.385 | 36.8 |
| ○  | 0.25         |      | 1250 | 0.385 | 36.8 |
| ○  | 0.25         |      | 1600 | 0.385 | 36.8 |
| ○  | 0.29         |      | 1000 | 0.345 | 29.5 |
| ○  | 0.17         | 42   | 1550 | 0.435 | 51.7 |
| ○  | 0.25         |      | 1000 | 0.355 | 34.4 |
| ○  | 0.25         |      | 1250 | 0.355 | 34.4 |
| ○  | 0.25         |      | 1550 | 0.355 | 34.4 |
| ○  | 0.17         | 45   | 1814 | 0.394 | 48.8 |
| ○  | 0.21         |      | 1000 | 0.354 | 39.4 |
| ○  | 0.21         | 48   | 2000 | 0.319 | 36.3 |
| ○  | 0.23         |      | 1000 | 0.299 | 31.9 |
| ○  | 0.12         | 50   | 1000 | 0.388 | 58.3 |
| ○  | 0.12         |      | 1250 | 0.388 | 58.3 |
| ○  | 0.12         |      | 1530 | 0.388 | 58.3 |
| ○  | 0.14         |      | 1000 | 0.368 | 52.5 |
| ○  | 0.14         |      | 1250 | 0.368 | 52.5 |
| ○  | 0.14         |      | 2000 | 0.368 | 52.5 |
| ○  | 0.15         |      | 1000 | 0.358 | 49.7 |
| ○  | 0.15         |      | 1230 | 0.358 | 49.7 |
| ○  | 0.15         |      | 1550 | 0.358 | 49.7 |
| ○  | 0.18         |      | 1000 | 0.328 | 41.7 |
| ○  | 0.18         |      | 1250 | 0.328 | 41.7 |
| ○  | 0.19         |      | 1000 | 0.318 | 39.2 |
| ○  | 0.19         |      | 1550 | 0.318 | 39.2 |
| ○  | 0.21         |      | 1000 | 0.298 | 34.4 |
| ○  | 0.21         |      | 1250 | 0.298 | 34.4 |
| ○  | 0.21         |      | 1550 | 0.298 | 34.4 |
| ○  | 0.15         | 55   | 1000 | 0.312 | 45.6 |
| ○  | 0.15         |      | 1250 | 0.312 | 45.6 |

# マグネステン金網在庫表

2024/5/17

| 在庫 | 線径 φ mm  | メッシュ       | 幅 mm | 目開き mm | 開孔率% |
|----|----------|------------|------|--------|------|
| ○  | 0.10     | 60         | 1000 | 0.323  | 58.3 |
| ○  | 0.12     |            | 1000 | 0.303  | 51.3 |
| ○  | 0.12     |            | 1550 | 0.303  | 51.3 |
| ○  | 0.15     |            | 1000 | 0.273  | 41.7 |
| ○  | 0.15     |            | 1250 | 0.273  | 41.7 |
| ○  | 0.15     |            | 1550 | 0.273  | 41.7 |
| ○  | 0.15     |            | 1600 | 0.273  | 41.7 |
| ○  | 0.173    |            | 1000 | 0.250  | 35.0 |
| ○  | 0.173    |            | 2000 | 0.250  | 35.0 |
| ○  | 0.18     |            | 1000 | 0.243  | 33.0 |
| ○  | 0.18     |            | 1250 | 0.243  | 33.0 |
| ○  | 0.18     |            | 1550 | 0.243  | 33.0 |
| ○  | 0.19     |            | 1550 | 0.233  | 30.4 |
| ○  | 0.14     | 65         | 1000 | 0.251  | 41.2 |
| ○  | 0.152    |            | 1250 | 0.239  | 37.4 |
| ○  | 0.10     | 70         | 1000 | 0.263  | 52.5 |
| ○  | 0.12     |            | 1000 | 0.243  | 44.8 |
| ○  | 0.12     |            | 2000 | 0.243  | 44.8 |
| ○  | 0.14     |            | 1000 | 0.223  | 37.7 |
| ○  | 0.15     |            | 1000 | 0.213  | 34.4 |
| ○  | 0.15     |            | 2000 | 0.213  | 34.4 |
| ○  | 0.152    |            | 1550 | 0.211  | 33.6 |
| ○  | 0.10     | 80         | 1000 | 0.218  | 46.9 |
| ○  | 0.10     |            | 1250 | 0.218  | 46.9 |
| ○  | 0.10     |            | 1550 | 0.218  | 46.9 |
| ○  | 0.12     |            | 1000 | 0.198  | 38.7 |
| ○  | 0.12     |            | 1250 | 0.198  | 38.7 |
| ○  | 0.14     |            | 1000 | 0.178  | 31.3 |
| ○  | 0.14     |            | 1550 | 0.178  | 31.3 |
| ○  | 0.13     | 83         | 1220 | 0.176  | 33.1 |
| ○  | 0.10     | 90         | 1000 | 0.182  | 41.7 |
| ○  | 0.13     |            | 1250 | 0.152  | 29.1 |
| ○  | 0.10     | 100        | 1000 | 0.154  | 36.8 |
| ○  | 0.10     |            | 1550 | 0.154  | 36.8 |
| ○  | 0.105    |            | 1250 | 0.149  | 34.4 |
| ○  | 0.09     | 110        | 1000 | 0.141  | 37.2 |
| ○  | 0.08     | 120        | 1260 | 0.132  | 38.7 |
| ○  | 0.08     |            | 1550 | 0.132  | 38.7 |
| ○  | 0.09     | 120(綾織)    | 1000 | 0.122  | 33.0 |
| ○  | 0.09     |            | 1260 | 0.122  | 33.0 |
| ○  | 033/0.23 | 24/120(平畳) | 1250 |        |      |
| ○  | 0.065    | 150        | 1000 | 0.104  | 38.0 |

在庫はその都度御確認ください。